



ALFACOD®

soluzioni di identificazione automatica mobile computing



RFID PRINTERS

When you choose Zebra for your RFID printing needs, you get the industry-best encoding accuracy needed to ensure the right data is embedded in every tag. And whether you need to print high, mid or low volumes of item hang tags, case and pallet labels or RFID-enabled ID, loyalty or membership cards, we have a printer that is perfect for the job.

High Performance Industrial RFID Printers

Mid-Range Industrial RFID Printers



Compact Desktop RFID Printers

High Performance RFID Card Printers

RFID PRINTERS

RFID Printers



High Performance Industrial RFID Printers		
	ZE500R	R110Xi4
		
PRODUCT DESCRIPTION	The ZE500 is designed for ease of use, service and integration, with a highly reliable engine that is ideal for mission critical print applications.	Engineered for years of performance in the toughest environments, the high-performance R110Xi4 is designed for item-, case-, and pallet-level identification. This printer/encoder delivers flexibility and a number of features for a wide range of applications.
GEOGRAPHIC AVAILABILITY*	NA, EMEA	NA, EMEA, APAC, LATAM
RFID CAPABILITIES	<ul style="list-style-type: none"> • UHF EPC Gen 2 tags • Print and encode short-pitch item-level tags, chip-based serialization for unique items and block permalocking of user memory. 	<ul style="list-style-type: none"> • UHF EPC Gen 2 tags • Print and encode short-pitch item-level tags, chip-based serialization for unique items and block permalocking of user memory.
MAX. PRINT WIDTH	4.09 in./104 mm	4.09 in./104 mm
MAX. PRINT SPEED @ RESOLUTION	12 ips @203 dpi 10 ips @300 dpi	14 ips @203 dpi 12 ips @300 dpi 6 ips @600 dpi
MEDIA HANDLING	Applicator Interface	Cutter, Peel, Full roll media rewind, Applicator Interface
COMMUNICATIONS	Parallel, Serial, USB, Ethernet, 802.11 b/g	Parallel, Serial, USB, Ethernet, 802.11 b/g
DIMENSIONS	Width: 9.6 in./254 mm Depth: 14.6 in./379 mm Height: 11.8 in./300 mm Weight: 34 lbs./15.4 kg	Width: 10.31 in./261.9 mm Depth: 20.38 in./517.5 mm Height: 15.5 in./393.7 mm Weight: 50 lbs./22.7 kg
WARRANTY	1 year	1 year
SERVICE	Zebra OneCare	Zebra OneCare

* Check SolutionBuilder for country-specific availability
APAC = Asia Pacific; EMEA = Europe, Middle East, Africa; LATAM = Latin America; NA = North America

High Performance Industrial RFID Printers

Mid-Range Industrial RFID Printers

Compact Desktop RFID Printers

High Performance RFID Card Printers

RFID PRINTERS

RFID Printers

Mid-Range Industrial RFID Printers

	ZT400 SERIES	ZT410 SILVERLINE		
				
PRODUCT DESCRIPTION	The ZT400 delivers best in class print speed, connectivity options and management and support tools. These printers are optimized to print and encode labels for mid-to high volume applications.	The ideal integrated solution for on-demand RFID asset tagging for all surfaces, including metal and liquid filled containers. Zebra has partnered with Confidex to create the first solution to include an RFID printer specially designed to print and encode Silverline labels.		
GEOGRAPHIC AVAILABILITY*	NA, EMEA, APAC, LATAM	NA, EMEA, APAC, LATAM		
RFID CAPABILITIES	<ul style="list-style-type: none"> • UHF EPC Gen 2 tags • Print and encode short-pitch item-level tags, chip-based serialization for unique items and block permalocking of user memory. 	<ul style="list-style-type: none"> • UHF EPC Gen 2 tags Silverline labels. • Silverline Standard, Silverline Micro and Silverline Slim all surface RFID labels. 		
MAX. PRINT WIDTH	ZT410: 4.09 in./104 mm ZT420: 6.6 in./168 mm	ZT410: 4.09 in./104 mm		
MAX. PRINT SPEED @ RESOLUTION	ZT410: 14 ips @ 203 dpi; 10 ips @ 300 dpi; 4 ips @ 600 dpi ZT420: 12 ips @ 203 dpi; 10 ips @ 300 dpi	ZT410: 14 ips @ 203 dpi		
MEDIA HANDLING	Cutter, Peel with Liner Take Up, Full roll media rewind	N/A		
COMMUNICATIONS	Parallel, Serial, USB, USB Host, Ethernet, 802.11 a/b/g/n, Bluetooth 2.1	Parallel, Serial, USB, USB Host, Ethernet, 802.11 a/b/g/n, Bluetooth 2.1		
DIMENSIONS	<table border="0"> <tr> <td>ZT410: Width: 10.6 in./269 mm Depth: 19.5 in./495 mm Height: 12.75 in./324 mm Weight: 36 lbs./16.33 kg</td> <td>ZT420: Width: 13.25 in./336.55 mm Depth: 19.5 in./495 mm Height: 12.75 in./324 mm Weight: 40 lbs./18.14 kg</td> </tr> </table>	ZT410: Width: 10.6 in./269 mm Depth: 19.5 in./495 mm Height: 12.75 in./324 mm Weight: 36 lbs./16.33 kg	ZT420: Width: 13.25 in./336.55 mm Depth: 19.5 in./495 mm Height: 12.75 in./324 mm Weight: 40 lbs./18.14 kg	Width: 10.6 in./269 mm Depth: 19.5 in./495 mm Height: 12.75 in./324 mm Weight: 36 lbs./16.33 kg
ZT410: Width: 10.6 in./269 mm Depth: 19.5 in./495 mm Height: 12.75 in./324 mm Weight: 36 lbs./16.33 kg	ZT420: Width: 13.25 in./336.55 mm Depth: 19.5 in./495 mm Height: 12.75 in./324 mm Weight: 40 lbs./18.14 kg			
WARRANTY	1 year	1 year		
SERVICE	Zebra OneCare	Zebra OneCare		

* Check SolutionBuilder for country-specific availability
 APAC = Asia Pacific; EMEA = Europe, Middle East, Africa; LATAM = Latin America; NA = North America

RFID Printers

Compact Desktop RFID Printers

ZD500R



PRODUCT DESCRIPTION	The ZD500R is ideal for space constrained areas, delivering advanced features in a compact and easy-to-use device. The ZD500R offers simple, one-touch printing and encoding, straight-forward loading and automatic RFID calibration, making it ideal in areas where technical support staff is not available.
GEOGRAPHIC AVAILABILITY*	NA, EMEA, APAC, LATAM
RFID CAPABILITIES	<ul style="list-style-type: none"> • UHF EPC Gen 2 tags • Print and encode short-pitch item-level tags, chip-based serialization for unique items and block permalocking of user memory.
MAX. PRINT WIDTH	4.09 in./104 mm
MAX. PRINT SPEED @ RESOLUTION	6 ips @ 203 dpi 4 ips @ 300 dpi
MEDIA HANDLING	Cutter, Peeler
COMMUNICATIONS	Parallel, Serial, USB, Ethernet, 802.11 a/b/g/n, Bluetooth 3.0
DIMENSIONS	Width: 7.6 in./193 mm Depth: 10.0 in./254 mm Height: 7.5 in./191 mm Weight: 4.9 lbs./2.2 kg
WARRANTY	1 year
SERVICE	Zebra OneCare

* Check SolutionBuilder for country-specific availability
 APAC = Asia Pacific; EMEA = Europe, Middle East, Africa; LATAM = Latin America; NA = North America

RFID Printers

High Performance RFID Card Printers

ZXP SERIES 7



PRODUCT DESCRIPTION	ZXP Series 7 provides the capability to read and encode passive UHF cards. Zebra's patented antenna design provides advanced sensitivity and enhanced read rates and range for genuine Zebra UHF cards.
GEOGRAPHIC AVAILABILITY*	NA, EMEA, APAC, LATAM
RFID CAPABILITIES	<ul style="list-style-type: none"> • UHF EPC Gen 2 tags • Direct to card printing and encoding of cards.
MAX. PRINT WIDTH	CR-80, ISO 7810 format
MAX. PRINT SPEED @ RESOLUTION	Color - 300 CPH Mono - 1,375 CPH
MEDIA HANDLING	Laminator
COMMUNICATIONS	USB, Ethernet, 802.11 b/g
DIMENSIONS	Width: 27.5 in./699 mm Depth: 10.9 in./277 mm Height: 12.0 in./306 mm Weight: 26.9 lbs./12.2 kg
WARRANTY	1 year
SERVICE	Zebra OneCare

* Check SolutionBuilder for country-specific availability
 APAC = Asia Pacific; EMEA = Europe, Middle East, Africa; LATAM = Latin America; NA = North America